

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

**LISTING No.** 3625-0324:105 Page 1 of 1

**CATEGORY:** Exit Door Accessories

**LISTEE:** Security Door Controls, 3580 Willow Lane, Westlake Village, CA 91361  
\*Contact: David Geringer (805) 494-0622 Fax (805) 494-8680

**DESIGN:** Model PSB560 exit bar. Unit is an accessory intended for use with separately listed burglary resistant electric locking device. Refer to listee's data sheet for detailed product description and operational considerations.

**RATING:** 12 to 24 VDC

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable code and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number and UL label.

**APPROVAL:** Listed as access control accessory to be used with separately listed compatible burglary resistant electric locking mechanisms to prevent unauthorized entry where permitted per code. For non-rated doors and for indoor use only. Authority having jurisdiction shall be consulted prior to installation.

\*Rev. 05-15-2002



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 14, 2003**

*Listing Expires **June 30, 2004***

Authorized By: **DIANE K. AREND**, Senior Deputy  
Program Manager